


TRIUMPH




MOTOR CYCLES
1928



Triumph-Gloria Model Y Sidecar

THE chassis of the Triumph-Gloria Model Y Sidecar is of special design. It is built of finest quality steel tubing and is attached to the motor cycle at four points. The front of the body is suspended on coil springs and the rear on two-leaf Gee springs. This Triumph method of springing eliminates all shock and jolting. The pleasing lines of the coach-built sidecar have been designed to harmonize with Triumph motor cycles. The comfortable and roomy body is finished in blue and the upholstery is in leather cloth.

A spacious locker is provided behind the hinged seat back. The sidecar mudguard is sprung with the body and has a deep valance at the middle to protect the body from mud. A water-pot or sprayer is standard. Interior dimensions: length from back of seat, 4 ft., width 1 ft. 6½ in. Weight, 124 lb.



Triumph-Gloria Model D Sidecar

THE Triumph-Gloria Model D Sidecar makes a most attractive and comfortable combination when fitted to a Triumph Motor Cycle. The coach-built body is finished in blue with upholstery in grey and black antique-finish leather cloth. A well, strongly built door ensures easy access and a spacious locker is provided behind the hinged seat back. The chassis is of proved Triumph design, having been rigorously tested. It provides for attachment to the motor cycle at four points and embodies coil springs at the front and two-leaf Gee springs at the rear. This Triumph method of springing, together with the roominess of the sidecar body with its deep, well-sprung seat, ensures car comfort for the passenger under all road conditions. A water-pot or sprayer is standard. Interior dimensions: length from back of seat, 4 ft., width 1 ft. 6½ in. Weight, 129 lb.

Prices

(See General Rules and the Prices of Goods)

Model Y Sidecar with Dunlop Cold Tyre, 26x 2½ in. W.D.	£12 7 6
--	---------

Model Y Sidecar with Dunlop Cold Tyre, 26x 3½ in. W.D.	£25 2 6
--	---------

Leave deposit on delivery £10, extra £5.

Model D Sidecar with Dunlop Cold Tyre, 26x 2½ in. W.D.	£13 7 6
--	---------

Model D Sidecar with Dunlop Cold Tyre, 26x 3½ in. W.D.	£14 2 6
--	---------

Leave deposit on delivery £10, extra £5.

For the Triumph "Kingsize Model" price, see page 16.

Prices include free delivery to any of the Company's Showrooms or Distributors throughout Great Britain and the Principality of Wales, and
are subject to alteration without notice. We reserve the right
to modify or deviate from specifications to meet special
All goods are sold by an auctioneer on the general
acceptance fully set out in the conditions.



Lucas Electrical Equipment

Lucas "Maplyne" Lighting Sets and bulb horns are fitted to most all Triumph machines.

A form of the switch, conveniently situated at the back of the head lamp, is all that is necessary to obtain brilliant road illumination, while, when certain demands alternative position afford a dim light and enable the rider to control the charging of the Lucas "Milan" side-post accumulator.

The set also includes the vibration-proof rubber-mounted Lucas tail lamp and a neat sidecar lamp of the concealed cable pattern, while the switch incorporates a current-meter ammeter, thus keeping the rider informed of the amount of current, in amperes, entering or being discharged from the battery.

Lucas Acetylene Equipment

The Lucas Acetylene Projector sets, specially designed for Triumph machines, are of sound construction, and the head lamp has a carefully designed silvered mirror reflector, while a reflector extension is also fitted.

The maximum road illumination is assured, while the projector incorporates a twin way reflector and is fitted with the Lucas quick-action carbide container and adjustable fitting to the machine. The sidecar lamp, with an independent generator, shows a red light to the rear in addition to affording quite powerful front illumination and the tail lamp, which throws a white light on the tonneau panel and a red light to the rear, is fitted with a special siphon which allows a high pump to be used to clear the gas jet.

The Lucas bulb horn is neat and compact and produces a pure penetrating note of good carrying power.

*Accessories shown not necessarily supplied
with every model supplied
by the U.S.A. Mfg. Co. at least and U.T.*



Triumph 4·94 h.p. N. de Luxe

SPECIFICATION

ENGINE 494 h.p. Triumph, crank cylinder, 4½ x 5½ in. bore and stroke, capacity 494 c.c., with side valve, dimensions given under heading for 4½ h.p. primary chassis or head as detailed in the usual manner.

TRIUMPH THREE-SPEED GEAR Fluid operated. Gearbox combination all gear and oil transmission with safety clutch and speedometer gears. Gear ratio, overall, 10.000:1. Ratios, primary, 3.500:1; secondary, 2.500:1; final, 3.00:1. Clutch ratio, 2.000:1. Total ratio, 10.000:1.

CARBURETTOR Triumph semi-automatic carburettor.

FRAMING New design, exceptionally strong, strengthened engine base. New pattern Triumph swing frame base with side plates base with large heavy saddle, extremely rigid and stiff.

TYRES Dunlop 46 x 2½ in. Cord tyres, wire rim.

TRANSMISSION Harley chain. Frame and rear side panel fitted in steel. Cover to front chain, fitted to rear chain. Hand bar free shock absorber, no impact driving shaft.

Equipped with or without Inner Amourer or Triumph "Magdyno" Lighting Set, Lamp and Bell Horn to order.

CHASSIS Head mounted, half track each side optional.

TANK General streamline saddle tank, finished in black and antique varnish, with gold lettering. Fuel容量, square oil tank, large side tank, capacity, 1 Gallon (U.S. 1.136 litres).

BRAKES Front, hand controlled, internal expanding spring and wire, spring steel wire assembly. Rear, hand operated, journal expanding disc type.

LUBRICATION Triumph mechanical oil pump, with right hand, side auxiliary oil pump for lubrication. Carter gear lubricator in front bearing, wheel, etc.

HANDLESHAFTS Sports pattern, adjustable. Hand, mounted by side, set for either steering, handlebar or handlebar, steering, hand and rear handle, side bar with comfortable grip of hands and person plus, from leather.


FINISH Painted as front black on side-tread, side panels, front spokes and front suspension links.

WEIGHT For registration purposes. With two tools and accessories, approximately 180 lbs.

Prices (for Great Britain and the Province of Ireland only)

Model No. H.P. L.D.S.	Trade Price
No. 1 Without Lamp and Horn	£35 12 6
No. 2 With Lamp and Horn	£39 7 6
No. 3 With Lamp "Magdyno" Electric Lamp and Bell Horn	£32 12 6
It is proposed, this model can be supplied with lamps unmounted, without horn, at the same price.	
Price of mounted lamp and horn: £1.00 Trade lamp, £1.00	£1 0 0
Trade lamp, £1.00	£1 0 0

See the Triumph "Price List" page on page 12.



Prices include free (U.K.) delivery of the complete motorcycle or "Deluxe" version, including delivery, general fittings and the Province of Ireland and are subject to alteration, without notice. We reserve the right to modify or alter any item specified in these details. All prices are valid for the United Kingdom, except where otherwise indicated.

O.H.V. Triumph 4·98 h.p. T.T.

SPECIFICATION

ENGINE ... 498 Ibs. Triumph, single cylinder, four valves, four and semi-rapid, requiring only one change of gear. Maximum speed 60 m.p.h. Maximum torque 10 ft-lb at 4,000 revs. per min. Maximum power 40 b.h.p. at 5,000 revs. per min. Maximum torque 10 ft-lb at 4,000 revs. per min.

TRIUMPH THREE-SPEED GEAR ... Gear plate operation, constant ratio between all gears. Gear ratios 1.00, 1.25, 1.60. Maximum speed 60 m.p.h. Maximum torque 10 ft-lb at 4,000 revs. per min. Standard speeds: 1st gear, 10 m.p.h., 1,000 revs.; 2nd, 22 m.p.h., 2,000 revs.; 3rd, 35 m.p.h., 3,000 revs.

CARBURATOR ... Amico. Racing. Twin and semi.

FRAME ... Exceptionally strong, incorporating shock absorbers and leg guards in suitable positions. New pattern Triumph spring seats, single suspension, front with sprung damper and front suspension with side bearing saddle.


TIRES ... Dunlop 3½ x 20 in. Cord tires, treaded.

Equipped with or without front discine or Electra "Magna" Lighter Seat, Lamp and Bell Horn to order.

Prices for Great Britain and the Province of Ireland only

Model, T.T. and so	Each Price
T.T. "Without Lamp and Horn"	£14 17 0
T.T. "With Lamp, Acetylene Lamp and Horn"	£16 7 6
T.T. "With Electra "Magna" Electric Lamp and Horn"	£17 12 6
£100, if required, to include: External mudguards, etc.	£ 0 0 0

For the Triumph "V-Twin" see page 31.



Triumph 4·94 h.p. N.P.

SPECIFICATION

ENGINE ... 494 c.c., Triumph single cylinder, 4½ x 5½ in. bore and stroke, compression 6·7, max. of 400 revs. Maximum torque, 10·5 lb ft at 3,000. A primary clutch is fitted to reduce the initial shock.

TRIUMPH THREE-SPEED GEAR ... Hand controlled, three positions, all gear and over-reduced lever-operated. Maximum speed with special features, 60 m.p.h. Weight, 100 lbs. (empty), 160 lbs. Standard front : 3½ lbs./sq.in.; rear : 2·5 lbs./sq.in. (maximum). 475-500 lbs. (empty).

CARICOBETTER ... Triumph semi-automatic (Ref. No. 100101).

FRAME ... Exceptionally strong, incorporating shock absorber. New patent Triumph spring fork system with return. Front wheel has large sprung suspension, rear simple.

TYRES ... Dunlop 27 x 3·75 in. Good tyres, standard.

TRANSMISSION ... Belt drive; front and rear sprockets 11 in. dia. 10 in. wide. Gearbox front wheel, gear in rear wheel. Chain rear wheel, chain drive on engine during start.


Supplied with or without Lucas Electrical or Lucas "Magdyno" Lighting Set, Lamp and Side Lamp to order.

Prices (for Great Britain and the Province of Ulster only)

MODEL N.P. 494 c.c.	Code Price
N.P. Without Lamp and Head	£43 17 6
N.P. With Lucas Acetylene Lamp and Head	£43 7 6
N.P. With Lucas "Magdyno" Electric Lamp and Dual Head	£43 12 6

Front & rear mudguards (Excluding "Twin Grip" Tyres)

Dimensions in 34 in. Code Tyres, weight 100 lbs. (empty) 160 lbs. (max. load), see page 13.



From January first delivery of any of the Company's Standard Models. Delivery from London, Middlesex, Kent, Surrey and the Province of Ulster and no carriage or admittance will be charged. We reserve the right to withdraw or alter any terms, conditions or prices details, if such are set by us or altered by the Board of Trade or any other authority.